*Neuroscience Letters*, 140 (1992) 277–280
Elsevier Scientific Publishers Ireland Ltd.



## AUTHOR INDEX

Aguirre, J.A., see Narváez, J.A., 273
Akaoka, H., see Aston-Jones, G., 219
Akopian, A., see Weiler, R., 121
Almaraz, L., see Gómez-Niño, A., 1
AL-Yousuf, S., Konishi, A., Nomura, S. and Mizuno, N., An electron microscopic study of neurosecretion in the cerebral ganglion of the earthworm, 189
Apkarian, A.V., Stea, R.A., Manglos, S.H., Szeverenyi, N.M., King, R.B. and Thomas, F.D., Persistent pain inhibits contralateral somatosensory cortical activity in humans, 141
Aston-Jones, G., Rajkowski, J., Kubiak, P. and Akaoka, H., Acute morphine induces oscillatory discharge of noradrenergic locus coeruleus neurons in the waking monkey, 219

Badini, I., see Siniscalchi, A., 235
Bandler, R., see Zhang, S.P., 103
Banerjee, P.K., see Snead III, O.C., 9
Barden, N., see Lévesque, D., 5
Bardot, F., see Pratt, J., 225
Barnabei, O., see Facchinetti, F., 59
Barragán, E.I. and Moyano, H.F., Cortical and quasi-cortical regions innervate ventrostriopallidal structures in the rat: an electrophysiological analysis, 255
Bazan-Perkins, B., see Paz, C., 270
Bdolah, A., see Bousso, D., 247
Bean, A.J., see During, M.J., 129
Beani, L., see Siniscalchi, A., 235
Beardsall, K., see Davies, S.W., 161
Bernardi, G., see Stanzione, P., 125
Bianchi, C., see Siniscalchi, A., 235
Bing, G., Chen, S., Zhang, Y., Hillman, D. and Stone, E.A., Noradrenergic-induced expression of c-*fos* in rat cortex: neuronal localization, 260
Blanchard, J.-C., see Pratt, J., 225
Blanchard, J.C., see Doble, A., 251
Blumberg, P.M., see Szallasi, A., 51
Bonner, M.J., see Gilman, S.C., 157
Borst, A., see Haag, J., 173
Bots, G.T.A.M., see Rozemuller, J.M., 137
Bousso, D., Bdolah, A. and Sokolovsky, M., Involvement of tyrosyl residue(s) in binding of endothelin and sarafotoxin to their receptors in rat brain and heart, 247
Brodin, L., see Rawitch, A.B., 165
Bronstein, A.M., see Gresty, M.A., 63
Bruhn, T., see Frank, L., 108
Bucherelli, C., Tassoni, G. and Bureš, J., Time-dependent disruption of passive avoidance acquisition by post-training intra-amygdala injection of tetrodotoxin in rats, 231
Bureš, J., see Bucherelli, C., 231

Carlson, H., Ronne-Engström, E., Ungerstedt, U. and Hillered, L., Seizure related elevations of extracellular amino acids in human focal epilepsy, 30
Carrive, P., see Zhang, S.P., 103
Chai, B. and Meltzer, H.Y., The effect of chronic clozapine on basal dopamine release and apomorphine-induced DA release in the striatum and nucleus accumbens as measured by in vivo brain microdialysis, 47
Chang, A.C., Lin, Y.-H., Chou, R.-L., Liao, G.-Y. and Chang, N.C.A., Characterization of a glial associated antigen GA-1 by monoclonal antibody, 192
Chang, N.-C.A., see Chang, A.C., 192
Chen, C.-F., see Cheng, J.-T., 211
Chen, H.I., see Cheng, J.-T., 211
Chen, S., see Bing, G., 260
Cheng, J.-T., Chen, C.-F., Shum, A.Y.C., Wang, J.-Y. and Chen, H.I., Increase of plasma neuropeptide Y-like immunoreactivity following chronic hypoxia in the rat, 211
Chevalier, G., Deniau, J.M. and Menetrey, A., Evidence that biocytin is taken up by axons, 197
Chou, R.-L., see Chang, A.C., 192
Cinelli, A.R., see Schwartz Levey, M., 265
Cintra, A., see Siniscalchi, A., 235
Coderre, T.J., Contribution of protein kinase C to central sensitization and persistent pain following tissue injury, 181
Contestabile, A., see Facchinetti, F., 59
Couratier, P., see Sautière, P.-E., 206
Cuello, A.C., see Maysinger, D., 71

Davies, S.W. and Beardsall, K., Nerve growth factor selectively prevents excitotoxin induced degeneration of striatal cholinergic neurones, 161
Davis, P.J., see Zhang, S.P., 103
De Belleroche, J.S., see Herberg, L.J., 16
Delacourte, A., see Sautière, P.-E., 206
Deniau, J.M., see Chevalier, G., 197
Depaulis, A., see Snead III, O.C., 9
Di Paolo, T., see Lévesque, D., 5
Diemer, N.H., see Frank, L., 108
Dieringer, N., see Straka, H., 67
Dmitrović, B., see Sajin, B., 117
Doble, A., Hubert, J.P. and Blanchard, J.C., Pertussis toxin pretreatment abolishes the inhibitory effect of riluzole and carbachol on D-[$^3$H]aspartate release from cultured cerebellar granule cells, 251
Dudel, J., see Franke, C., 169
During, M.J., Bean, A.J. and Roth, R.H., Effects of CNS stimulants on the in vivo release of the colocalized transmitters, dopamine and neurotensin, from rat prefrontal cortex, 129

Earnest, D.J., Ouyang, S. and Olschowka, J.A., Rhythmic expression of Fos-related proteins within the rat suprachiasmatic nucleus during constant retinal illumination, 19
Egelhaaf, M., see Haag, J., 173
Eikelenboom, P., see Rozemuller, J.M., 137
Evrard, P., see Gressens, P., 113

Facchinetti, F., Virgili, M., Migani, P., Barnabei, O. and Contestabile, A., Induction of brain ornithine decarboxylase after systemic or intrastriatal administration of kainic acid, 59
Frank, L., Bruhn, T. and Diemer, N.H., Regional cerebral protein synthesis after transient ischemia in the rat: effect of the AMPA antagonist NBQX, 108

Franke, C., Hatt, H., Parnas, H. and Dudel, J., Recovery from the rapid desensitization of nicotinic acetylcholine receptor channels on mouse muscle, 169
Fujiwara, M., see Okada, M., 55
Furukawa, S., see Hashimoto, Y., 203
Fuxe, K., see Narváez, J.A., 273
Fuxe, K., see Siniscalchi, A., 235

Gackenheimer, S.L., see Gehlert, D.R., 25
Gagné, B., see Lévesque, D., 5
Gehlert, D.R., Gackenheimer, S.L. and Robertson, D.W., Autoradiographic localization of [$^{125}$I]charybdotoxin binding sites in rat brain, 25
Gilman, S.C., Bonner, M.J. and Pellmar, T.C., Peroxide effects on [$^{3}$H]L-glutamate release by synaptosomes isolated from the cerebral cortex, 157
Goldman, J.E., see Iwaki, A., 89
Gómez-Niño, A., Almaraz, L. and González, C., Potentiation by cyclooxygenase inhibitors of the release of catecholamines from the rabbit carotid body and its reversal by prostaglandin $E_2$, 1
González, C., see Gómez-Niño, A., 1
Goshima, Y., see Kubo, T., 153
Gratton, A., see Mitchell, J.B., 81
Greenberger, V., see Segal, M., 243
Gressens, P., Kosofsky, B.E. and Evrard, P., Cocaine-induced disturbances of corticogenesis in the developing murine brain, 113
Gresty, M.A. and Bronstein, A.M., Visually controlled spatial stabilisation of the human head: compensation for the eye's limited ability to roll, 63

Haag, J., Egelhaaf, M. and Borst, A., Dendritic integration of motion information in visual interneurons of the blowfly, 173
Hashimoto, Y., Omae, F. and Furukawa, S., Reduction of NGF protein level in rat dorsal hippocampus following administration of kainic acid, 203
Hassan, A.H.S., Pzewłocki, R., Herz, A. and Stein, C., Dynorphin, a preferential ligand for $\kappa$-opioid receptors, is present in nerve fibers and immune cells within inflamed tissue of the rat, 85
Hatt, H., see Franke, C., 169
Hechler, V., see Snead III, O.C., 9
Hefti, F., see Lorenzi, M.V., 185
Henken, D.B. and Martin, J.R., The proportion of galanin-immunoreactive neurons in mouse trigeminal ganglia is transiently increased following corneal inoculation of herpes simplex virus type-1, 177
Herberg, L.J., De Belleroche, J.S., Rose, I.C. and Montgomery, A.M.J., Effect of the 5-$HT_3$ receptor antagonist ondansetron on hypothalamic self-stimulation in rats and its interaction with the CCK analogue caerulein, 16
Herz, A., see Hassan, A.H.S., 85
Hillered, L., see Carlson, H., 30
Hillman, D., see Bing, G., 260
Hirai, S., see Tanaka, M., 42
Hoppel, C.L., see Kim, C.S., 13
Hubert, J.P., see Doble, A., 251
Hugon, J., see Sautière, P.-E., 206

Ichikawa, M., see Oka, Y., 200
Iwaki, A., Iwaki, T., Goldman, J.E., Ogomori, K., Tateishi, J. and Sakaki, Y., Accumulation of αB-crystallin in brains of patients with Alexander's disease is not due to an abnormality of the 5′-flanking and coding sequence of the genomic DNA, 89
Iwaki, T., see Iwaki, A., 89
Iwasaki, K., see Okada, M., 55

Jalsenjak, I., see Maysinger, D., 71
Jüch, P.J.W., Schaafsma, A. and van Willigen, J.D., Brainstem influences on biceps reflex activity and muscle tone in the anaesthetized rat, 37

Kanai, H., see Tanaka, M., 42
Kato, S., Taniura, H., Taira, E. and Miki, N., Involvement of a receptor for neurite outgrowth factor (NOFR) in cerebellar neurogenesis, 78
Kauer, J.S., see Schwartz Levey, M., 265
Kikuchi, S., see Michikawa, M., 75
Kim, C.S. and Hoppel, C.L., Carnitine palmitoyltransferase activity in the rabbit choroid plexus: its possible function in fatty acid metabolism and transport, 13
Kim, S.U., see Michikawa, M., 75
King, R.B., see Apkarian, A.V., 141
Knusel, B., see Lorenzi, M.V., 185
Konishi, A., see AL-Yousuf, S., 189
Kosofsky, B.E., see Gressens, P., 113
Kubiak, P., see Aston-Jones, G., 219
Kubo, T., Yue, J.-L., Goshima, Y., Nakamura, S. and Misu, Y., Evidence for L-DOPA systems responsible for cardiovascular control in the nucleus tractus solitarii of the rat, 153

Laduron, P.M., see Pratt, J., 225
Lévesque, D., Gagné, B., Barden, N. and Di Paolo, T., Chronic estradiol treatment increases anterior pituitary but not striatal $D_2$ dopamine receptor mRNA levels in rats, 5
Ley, R.D., see Sabourin, C.L.K., 148
Liao, G.-Y., see Chang, A.C., 192
Lin, Y.-H., see Chang, A.C., 192
Lorenzi, M.V., Knusel, B., Hefti, F. and Strauss, W.L., Nerve growth factor regulation of choline acetyltransferase gene expression in rat embryo basal forebrain cultures, 185

Manglos, S.H., see Apkarian, A.V., 141
Marciani, M.G., see Stanzione, P., 125
Martin, J.R., see Henken, D.B., 177
Maysinger, D., Jalsenjak, I. and Cuello, A.C., Microencapsulated nerve growth factor: effects on the forebrain neurons following devascularizing cortical lesions, 71
Meltzer, H.Y., see Chai, B., 47
Menetrey, A., see Chevalier, G., 197
Merriam, L.A., see Parsons, R.L., 33
Michikawa, M., Kikuchi, S. and Kim, S.U., Leukemia inhibitory factor (LIF) mediated increase of choline acetyltransferase activity in mouse spinal cord neurons in culture, 75
Migani, P., see Facchinetti, F., 59
Miki, N., see Kato, S., 78
Mine, K., see Okada, M., 55
Misu, Y., see Kubo, T., 153
Mitchell, J.B. and Gratton, A., Mesolimbic dopamine release elicited by activation of the accessory olfactory system: a high speed chronoamperometric study, 81
Mizuno, N., see AL-Yousuf, S., 189
Montgomery, A.M.J., see Herberg, L.J., 16
Moyano, H.F., see Barragán, E.I., 255

Näätänen, R., see Winkler, I., 239

Nakai, Y., see Shioda, S., 215
Nakamura, S., see Kubo, T., 153
Narváez, J.A., Aguirre, J.A., Van der Ploeg, I. and Fuxe, K., Intracerebroventricularly administered pertussis toxin blocks the central vasopressor action of neuropeptide Y(13–36) in the awake unrestrained male rat, 273
Nomura, S., see AL-Yousuf, S., 189

Ogomori, K., see Iwaki, A., 89
Oka, Y. and Ichikawa, M., Ultrastructural characterization of gonadotropin-releasing hormone (GnRH)-immunoreactive terminal nerve cells in the dwarf gourami, 200
Okada, M., Urae, A., Mine, K., Shoyama, Y., Iwasaki, K. and Fujiwara, M., The facilitating and suppressing effects of $\Delta^9$-tetrahydrocannabinol on the rise in intrasynaptosomal $Ca^{2+}$ concentration in rats, 55
Olschowka, J.A., see Earnest, D.J., 19
Omae, F., see Hashimoto, Y., 203
Ouyang, S., see Earnest, D.J., 19

Parnas, H., see Franke, C., 169
Parsons, R.L. and Merriam, L.A., Galanin and bethanechol appear to activate the same inwardly rectifying potassium current in mudpuppy parasympathetic neurons, 33
Paz, C. and Bazan-Perkins, B., Sleep–wake disorganization in cats exposed to ozone, 270
Pellmar, T.C., see Gilman, S.C., 157
Pierantozzi, M., see Stanzione, P., 125
Pollock, H.G., see Rawitch, A.B., 165
Pratt, J., Rataud, J., Bardot, F., Roux, M., Blanchard, J.-C., Laduron, P.M. and Stutzmann, J.-M., Neuroprotective actions of riluzole in rodent models of global and focal cerebral ischaemia, 225
Przewłocki, R., see Hassan, A.H.S., 85

Rajkowski, J., see Aston-Jones, G., 219
Rataud, J., see Pratt, J., 225
Rawitch, A.B., Pollock, H.G. and Brodin, L., A neuropeptide Y (NPY)-related peptide is present in the river lamprey CNS, 165
Risau, W., see Seulberger, H., 93
Robertson, D.W., see Gehlert, D.R., 25
Ronne-Engström, E., see Carlson, H., 30
Roos, R.A.C., see Rozemuller, J.M., 137
Rose, I.C., see Herberg, L.J., 16
Roth, R.H., see During, M.J., 129
Roux, M., see Pratt, J., 225
Rozemuller, J.M., Bots, G.T.A.M., Roos, R.A.C. and Eikelenboom, P., Acute phase proteins but not activated microglial cells are present in parenchymal $\beta$/A4 deposits in the brains of patients with hereditary cerebral hemorrhage with amyloidosis-Dutch type, 137

Sabourin, C.L.K. and Ley, R.D., Purification and characterization of fibroblast growth factors from the opossum, *Monodelphis domestica*, brain, 148
Sajin, B., Sestan, N. and Dmitrović, B., Compartmentalization of NADPH-diaphorase staining in the developing human striatum, 117
Sakaki, Y., see Iwaki, A., 89
Sautière, P.-E., Sindou, P., Couratier, P., Hugon, J., Wattez, A. and Delacourte, A., Tau antigenic changes induced by glutamate in rat primary culture model: a biochemical approach, 206
Schaafsma, A., see Jüch, P.J.W., 37
Schwartz Levey, M., Cinelli, A.R. and Kauer, J.S., Intracellular injection of vital dyes into single cells in the salamander olfactory epithelium, 265
Segal, M. and Greenberger, V., Acidic amino acids evoke a smaller $[Ca^{2+}]_i$ rise in GABAergic than non-GABAergic hippocampal neurons, 243
Segal, R.L., Neuromuscular compartments in the human biceps brachii muscle, 98
Semprini, R., see Stanzione, P., 125
Sestan, N., see Sajin, B., 117
Seulberger, H., Unger, C.M. and Risau, W., HT7, Neurothelin, Basigin, gp42 and OX-47 – many names for one developmentally regulated immuno-globulin-like surface glycoprotein on blood–brain barrier endothelium, epithelial tissue barriers and neurons, 93
Shioda, S. and Nakai, Y., Noradrenergic innervation of vasopressin-containing neurons in the rat hypothalamic supraoptic nucleus, 215
Shoyama, Y., see Okada, M., 55
Shum, A.Y.C., see Cheng, J.-T., 211
Sindou, P., see Sautière, P.-E., 206
Siniscalchi, A., Badini, I., Cintra, A., Fuxe, K., Bianchi, C. and Beani, L., Muscarinic modulation of acetylcholine release from slices of guinea pig nucleus basalis magnocellularis, 235
Snead III, O.C., Depaulis, A., Banerjee, P.K., Hechler, V. and Vergnes, M., The $GABA_A$ receptor complex in experimental absence seizures in rat: an autoradiographic study, 9
Sokolovsky, M., see Bousso, D., 247
Sotomatsu, A., see Tanaka, M., 42
Stanzione, P., Traversa, R., Pierantozzi, M., Semprini, R., Marciani, M.G. and Bernardi, G., An electrophysiological study of $D_2$ dopaminergic actions in normal human retina: a tool in Parkinson's disease, 125
Stea, R.A., see Apkarian, A.V., 141
Stein, C., see Hassan, A.H.S., 85
Stone, E.A., see Bing, G., 260
Straka, H. and Dieringer, N., Chemical identification and morphological characterization of the inferior olive in the frog, 67
Strauss, W.L., see Lorenzi, M.V., 185
Stutzmann, J.-M., see Pratt, J., 225
Szallasi, A. and Blumberg, P.M., Vanilloid receptor loss in rat sensory ganglia associated with long term desensitization to resiniferatoxin, 51
Szeverenyi, N.M., see Apkarian, A.V., 141

Taira, E., see Kato, S., 78
Tanaka, M., Sotomatsu, A., Kanai, H. and Hirai, S., Combined histochemical and biochemical demonstration of nigral vulnerability to lipid peroxidation induced by DOPA and iron, 42
Taniura, H., see Kato, S., 78
Tassoni, G., see Bucherelli, C., 231
Tateishi, J., see Iwaki, A., 89
Thomas, F.D., see Apkarian, A.V., 141
Traversa, R., see Stanzione, P., 125

Unger, C.M., see Seulberger, H., 93
Ungerstedt, U., see Carlson, H., 30
Urae, A., see Okada, M., 55

Van der Ploeg, I., see Narváez, J.A., 273
van Willigen, J.D., see Jüch, P.J.W., 37
Vergnes, M., see Snead III, O.C., 9
Virgili, M., see Facchinetti, F., 59

Wang, J.-Y., see Cheng, J.-T., 211

Wattez, A., see Sautière, P.-E., 206
Weiler, R. and Akopian, A., Effects of background illuminations on the receptive field size of horizontal cells in the turtle retina are mediated by dopamine, 121
Winkler, I. and Näätänen, R., Event-related potentials in auditory backward recognition masking: a new way to study the neurophysiological basis of sensory memory in humans, 239
Yue, J.-L., see Kubo, T., 153
Zhang, S.P., Davis, P.J., Carrive, P. and Bandler, R., Vocalization and marked pressor effect evoked from the region of the nucleus retroambigualis in the caudal ventrolateral medulla of the cat, 103
Zhang, Y., see Bing, G., 260

---

**CONTENTS** *(continued from the back cover)*

Muscarinic modulation of acetylcholine release from slices of guinea pig nucleus basalis magnocellularis
A. Siniscalchi, I. Badini, A. Cintra, K. Fuxe, C. Bianchi and L. Beani (Italy, Sweden) 235
Event-related potentials in auditory backward recognition masking: a new way to study the neurophysiological basis of sensory memory in humans
I. Winkler and R. Näätänen (Hungary, Finland) 239
Acidic amino acids evoke a smaller $[Ca^{2+}]_i$ rise in GABAergic than non-GABAergic hippocampal neurons
M. Segal and V. Greenberger (Israel) 243
Involvement of tyrosyl residue(s) in binding of endothelin and sarafotoxin to their receptors in rat brain and heart
D. Bousso, A. Bdolah and M. Sokolovsky (Israel) 247
Pertussis toxin pretreatment abolishes the inhibitory effect of riluzole and carbachol on D-[$^3$H]aspartate release from cultured cerebellar granule cells
A. Doble, J.P. Hubert and J.C. Blanchard (France) 251
Cortical and quasi-cortical regions innervate ventrostriopallidal structures in the rat: an electrophysiological analysis
E.I. Barragán and H.F. Moyano (Argentina) 255
Noradrenergic-induced expression of c-*fos* in rat cortex: neuronal localization
G. Bing, S. Chen, Y. Zhang, D. Hillman and E.A. Stone (USA) 260
Intracellular injection of vital dyes into single cells in the salamander olfactory epithelium
M. Schwartz Levey, A.R. Cinelli and J.S. Kauer (USA) 265
Sleep–wake disorganization in cats exposed to ozone
C. Paz and B. Bazan-Perkins (México) 270
Intracerebroventricularly administered pertussis toxin blocks the central vasopressor action of neuropeptide Y(13–36) in the awake unrestrained male rat
J.A. Narváez, J.A. Aguirre, I. Van der Ploeg and K. Fuxe (Sweden, Spain) 273

*Author Index* 277